



miFire

miFires

Quality ■ Inspired ■ Innovation

Stove Features

Variable Air Flow System

All Mi-Fire stoves benefit from our simple variable air flow system allowing you to easily adjust the combustion of your stove with one simple controller allowing you to achieve a beautiful flame picture with optimal efficiency.



Start Up

When lighting your stove move the slider fully to the left. This opens up all the air controls to the stove allowing a clean fast fire to start.



Wood Burning Mode

By moving the slider fully to the right you enter the 100% wood burning mode allowing you control the combustion from 100% to 10% when moving the slider back towards the middle position.



Coal / Solid Fuel Mode

By moving the slider to the first notch on the left you enter 100% coal mode from here you can adjust your stove by moving the slider to the right until you reach the middle position.



Off Mode

When the slider is in the middle position all the air controls are shut down allowing you to reduce any heat loss from the room when the stove is not in operation.



Variable Air Flow System

All Mi-Fire stoves benefit from our simple variable air flow system allowing you to easily adjust the combustion of your stove with one simple controller allowing you to achieve a beautiful flame picture with optimal efficiency.



Integrated Log Box

All models are available with an integrated log box which can make the stoves freestanding.



Integrated Air Jacket

With its double integrated Air-Jacket and large Air-Tank means that volumes of cold air, which can be taken directly from outside, is instantly warmed and sent round the inner wall, which gives a curtain of protective warm air over the glass, keeping it perfectly clean, but it also helps the combustion of the gases to produce beautiful flame.



DEFRA Approved

All Mi-Fires are DEFRA exempt or SE (smoke exempt) for use in smoke control areas, which means they can be safely and legally used to burn logs in all major cities and towns throughout the UK. They are all 2022 ready as well.



Handle Choice

Mi-Fire stoves come with a choice of handles:
(1) Brushed stainless with black laser etched logo
(2) Black handle with stainless laser etched logo
(3) Plain black enameled handle



Outside Air

All Mi-Fire stoves have the option of an outside air kit, allowing you to take the combustion air for your stove from outside, perfect for airtight houses or PassivHaus buildings.



Easy Installation

All our stoves have an installer friendly flue pipe outlet allowing you to have the flue coming out of the stove from the top or rear. The integrated feet can be screwed in or out to make sure its always level, no matter how uneven the floor is.

Helvellyn

This exquisite stove has been crafted out of the heart of the Cumbrian landscape.



The Helvellyn is the smallest in the range yet still packs a punch. Its timeless classic shape combined with a large glass window encompassed in a small, compact body, the Helvellyn will bring a warming glow to any room.



NEW

for details, see fold out at the back of this brochure



available
with log box

| | |
|------------|------------------|
| Width | 490mm |
| Height | 625 / 900mm |
| Depth | 401mm |
| Output | 4.5 kw |
| Efficiency | 75.50% |
| Weight | 86.2 / 102.8 kgs |
| Flue Size | 125mm / 5 inch |

Distance to Combustibles

| | |
|-----------|-------|
| Front | 500mm |
| At Side | 400mm |
| Behind | 400mm |
| Furniture | 800mm |



Scafell

Named accordingly after the highest peak in England.



The Scafell is the most powerful of the classically British range both in output and in stature. The stunning widescreen cast door set in a larger body makes the stove a fiery spectacle whether set in a fireplace or freestanding. The exposed door hinges still gives this clean looking stove a traditional elegance.



available with log box

| | |
|------------|----------------|
| Width | 625mm |
| Height | 625 / 900mm |
| Depth | 412mm |
| Output | 8.0 kw |
| Efficiency | 75.20% |
| Weight | 105 / 124 kgs |
| Flue Size | 150mm / 6 inch |

Distance to Combustibles

| | |
|-----------|-------|
| Front | 500mm |
| At Side | 400mm |
| Behind | 400mm |
| Furniture | 800mm |



Bowfell



The Bowfell is named after the pyramid-shaped mountain lying at the heart of the English Lake District.



An elegantly curved model from the classically British range manufactured by Mi-Fires. A stylish traditional stove, with the door hinges hidden behind the beautiful curved cast door it gives the Bowfell a contemporary twist. The understated yet luxurious profile is perfect for any home, and the curved glass elongates the ribbons of fire.



available
with log box

| | |
|------------|------------------|
| Width | 490mm |
| Height | 625 / 900mm |
| Depth | 401mm |
| Output | 4.5 kw |
| Efficiency | 75.50% |
| Weight | 86.2 / 102.8 kgs |
| Flue Size | 125mm / 5 inch |

Distance to Combustibles







| | |
|-----------|-------|
| Front | 500mm |
| At Side | 400mm |
| Behind | 400mm |
| Furniture | 800mm |



Technical Data

| | Helvellyn | Helvellyn with log box | Scafell |
|----------------|-------------|------------------------|-------------|
| Height | 625 mm | 900 mm | 625 mm |
| Width | 490 mm | 490 mm | 625 mm |
| Depth | 401 mm | 401 mm | 412 mm |
| Flue Size | 125 mm / 5" | 125 mm / 5" | 150 mm / 6" |
| Output kW | 4.5 kW | 4.5 kW | 8.0 kW |
| Efficiency | 75.50% | 75.50% | 75.20% |
| Weight - Nett | 86.20 Kg | 102.80 Kg | 105 Kg |
| Weight - Gross | 104.20 Kg | 119 Kg | 120 Kg |
| DEFRA | Yes | Yes | No |
| Outside Air | Option | Option | Option |
| Fuel | Multifuel | Multifuel | Multifuel |


| Distance to Combustible Materials | | | |
|-----------------------------------|--------|--------|--------|
| Front | 500 mm | 500 mm | 500 mm |
| At Side | 400 mm | 400 mm | 400 mm |
| Behind | 400 mm | 400 mm | 400 mm |
| To Furniture | 800 mm | 800 mm | 800 mm |



| | Scafell with log box | Bowfell | Bowfell with log box |
|----------------|----------------------|-------------|----------------------|
| Height | 900 mm | 625 mm | 900 mm |
| Width | 625 mm | 490 mm | 490 mm |
| Depth | 412 mm | 402 mm | 402 mm |
| Flue Size | 150 mm / 6" | 125 mm / 5" | 125 mm / 5" |
| Output kW | 8.0 kW | 4.5 kW | 4.5 kW |
| Efficiency | 75.20% | 75.50% | 75.50% |
| Weight - Nett | 124 Kg | 91 Kg | 107.60 Kg |
| Weight - Gross | 140 Kg | 107 Kg | 124 Kg |
| DEFRA | No | Yes | Yes |
| Outside Air | Option | Option | Option |
| Fuel | Multifuel | Multifuel | Multifuel |

| | | | |
|--------------|--------|--------|--------|
| Front | 500 mm | 500 mm | 500 mm |
| At Side | 400 mm | 400 mm | 400 mm |
| Behind | 400 mm | 400 mm | 400 mm |
| To Furniture | 800 mm | 800 mm | 800 mm |

| | Helvellyn Gas fire |
|----------------|--------------------|
| Height | 625 mm |
| Width | 490 mm |
| Depth | 401 mm |
| Flue Size | 100 mm / 4" |
| Output kW | 4.9KW TBC |
| Efficiency | 80% TBC |
| Weight - Nett | |
| Weight - Gross | |
| DEFRA | N/A |
| Outside Air | |
| Fuel | Natural Gas |



features

Destricti. Nobitatu repedit eruptis as suntccus andelenim nis a uksaytg ausy gsakuygusal.

volenis ipsusam, in non rest quat ae quatusa perioresti deribus.

Repellam, quostibearum lacime dolut am fuga. Itat. volenis, in non rest quat am fuga quatiur. Repellam, quostibearum lacime dolut am fuga. Itat. volenis.

features

Destricti. Nobitatu repedit eruptis as sunt accus andelenim nis a uksaytg ausy gsakuygusal.

volenis ipsusam, in non rest quat ae quatusa perioresti deribus.

Repellam, quostibearum lacime dolut am fuga. Itat. volenis, in non rest quat am fuga quatiur. Repellam, quostibearum lacime dolut am fuga. Itat. volenis.



NEW

Helvellyn

Gas Fire

Ferum fugia pore, numet
eium commostiat delisciti
optur. Qui rem eum sae
conem destrici.

Maximendia volenis ipsusam, in non rest quat quatiur? ae quatusa
perioresti deribus repellam, quostibearum lacime dolut am fuga. Itat
quatiur? in non rest quat quatiur? ae quatus.

Maximendia volenis ipsusam, in non rest quat quatiur?ae quatusa
perioresti deribus repellam, quostibearum. Maximendia volenis ipsus,
in non rest quat quatiur?ae quatusa perioresti deribus repellam.



Quality
Inspired
Innovation

T: 01253 600 060
F: 01253 600 061
E: sales@mi-stoves.com
W: www.mi-stoves.com

Taymin Business Park
Mitcham Road
Blackpool, Lancashire, FY4 4QN

