


SMALLER, FASTER, LIGHTER  
**COMPACT MEASURES  
HUGE POWER**



**2**  
YEARS  
**30000**  
CYCLES  
**PZ SERIES**  
BATTERY POWERED  
PRESS TOOL

**THE RIGHT TOOL FOR YOUR NEEDS**


- **CIRCUIT BOARD DIAGNOSTICS**  
Alert you when the battery is low or the tool is too hot or cold
- **OLED DISPLAY**
  - Easy reading on
  - Battery Percentage
  - Pressing Times
  - Fault Code
  - Maintenance Note

ALL TOOLS CAN BE CONTROLLED  
BY ONE TRIGGER

CIRCUIT BOARD  
DIAGNOSTICS

HIGH PERFORMANCE  
18V Li-ion Battery

- **180° SWIVELLING BARREL**  
Easy access to connections
- **TWO STAGE HYDRAULIC SYSTEM**  
Hydraulic Ram Output provides more force for reliable connection
- **ERGONOMIC DESIGN**  
With light weight and inline grip, easily work overhead and in tight spaces.
- **SERVICE INTERVAL: 30000 Cycles**



**CIRCUIT BOARD DIAGNOSTICS**  
Alert you when the battery is low or the  
tool is too hot or cold



SMALLER, FASTER, LIGHTER  
**COMPACT MEASURES  
HUGE POWER**

## PZ-1930

**BATTERY POWERED PRESS TOOL**  
precise pressing with lighter body

- 15-28mm(1/2"-1")Stainless Pipe
- 15-35mm(1/2"-1 1/2")Copper Pipe
- 16-32mm PEX & Multi-layer Pipe

The PZ-1930 is the newest addition to the mini press tool with in-line grip, it is efficient and reliable way to join copper, stainless steel and PEX&Multi-layer Pipe.



COPPER PIPE



MULTI-LAYER COMPOSITE PIPE



PEX PIPE




STAINLESS STEEL PIPE



### SPECIFICATIONS

Capacity:	12-28mm(1/2"-1") Stainless steel pipe, 12-35mm(1/2"-1") Copper pipe, 12-32mm PEX&Multi-layer pipe	Battery:	18V Li-ion 2.5Ah
Output:	19KN	Battery Charger:	AC 100-240V
Stroke:	30mm	Charging Time:	Approx. 50mins
Oil capacity:	Approx. 60ml	Service Interval:	Service Interval: 30000cycles
Crimping Cycle Time:	2-4S	Weight:	Approx.2.0kgs (tool with battery) Approx. 3.5kgs(tool with battery and jaw)
Crimping Cycles/charge:	180cycles (DN 20 Stainless Steel)	Tool Size:	Tool Size: 363×120×75mm

MODEL NO.	DESCRIPTION	Weight (KGS)	Standard Pack
PZ-1930	PZ-1930 Battery Press Tool Kit without jaws	6.10	1pc
ACCESSORIES	18V, 2.5 Ah Li-Ion Batteries	0.35	2pcs
	Charger	0.70	1pc
	Plastic case	2.90	1pc
	Sealing ring of cylinder:		1set
	Sealing ring of safety valve:		1set



**EFFICIENCY AND DURABILITY**  
ONLY 3S TO FINISH ONE CYCLE PRESS

## PZ-1550

### BATTERY POWERED PRESS TOOL

Efficiency and Durability

- Battery press tool with in-line grip.
- SPEED UP 20% compare with old type. Only 3-4.5S to finish one cycle press
- The tool comes standard with two 18V,4.0Ah Lion-batteries and one charger. It can achieve over 350 cycles per charger.
- Motor drivers, Micro-computer control system, OLED screen and double valve hydraulic system.



COPPER PIPE



MULTI-LAYER COMPOSITE PIPE



PEX PIPE



STAINLESS STEEL PIPE



**3~4.5s**  
PER CYCLE TIME



OLED Display

All tools can be controlled by one trigger

Anti-slip Handle



LED Light

Manual Retract

High Performance 18V Li-ion Battery

#### SPECIFICATIONS

Capacity:	12-54mm(1/2"-2") for stainless steel pipe 12-108mm(1/2"-4") for PEX,Multi-layer and copper pipe	Battery:	18V Li-ion 4.0Ah
Output:	32KN	Battery Charger:	AC 100-240V
Stroke:	40mm	Charging Time:	Approx. 80mins
Cycle Time:	Approx. 3-4.5 seconds	Service Interval:	30000cycles
Oil capacity:	115ml	Weight:	Approx.3.9kgs (tool with battery) Approx.6.1kgs(tool with battery and jaw)
		Tool Size:	450x81x128mm

#### PZ-1550 Battery Press Tool Kit

MODEL NO.	DESCRIPTION	Weight(kgs)
PZ-1550	PZ-1550 Battery Press Tool Kit without jaws	9.20
	Battery, 18V, 4.0Ah Li-Ion	0.60
ACCESSORRIES	Charger	0.70
	Plastic case	4.10